## **AMENDMENT**

## IN THE CLAIMS

Claim 1 (currently amended): A method of changing the value of a parameter from a current value to a desired value comprising the steps of:

inputting a first directional command to <u>set</u> eause the parameter to <u>vary at</u> a first <u>value</u>, the first value having a first predetermined number of units speed in a first direction; and

inputting a second directional command to eause change the parameter by a second value having a second predetermined number of units in a second direction wherein the second value is less than the first value to vary at a different speed either in the first or in the opposite direction.

Al

Claim 2 (currently amended): A method according to Claim 1, in which the second <u>direction</u> directional command is the same as a repeat of the first <u>direction</u> directional command which causes the parameter to <u>increase in value vary</u> in the first direction <u>upon entering of the second directional command at a speed higher than the first speed</u>.

Claim 3 (currently amended): A method according to Claim 1, in which the second <u>direction</u> <u>directional command</u> is different to <u>from</u> the first <u>direction</u> <u>directional command</u> and <u>entering of</u> <u>the second directional command</u> causes the parameter <u>value</u> to <u>decrease in the first direction</u> <u>vary</u> in the opposite direction at a lower speed than the first speed.

Claim 4 (original): A method according to Claim 1, in which there are two possible directional commands corresponding to "Up" and "Down" whereby the parameter is increased or decreased in value.

Claim 5 (currently amended): A method according to Claim 1, in which there is a third command corresponding to "Stop" which causes <u>that which</u> the parameter <u>is measuring</u> to retain its current value.

Claim 6 (original): A method according to Claim 5, comprising the steps of inputting a first

command; inputting a stop command; and inputting a second command whereby the parameter varies in the first direction at a slower speed than the first speed.

Claim 7 (original): A method according to Claim 1, in which the commands are voice commands.

Claim 8 (original): A method according to Claim 1, in which the commands are manually input commands.

Claim 9 (currently amended): An apparatus Apparatus for changing the value of a parameter from a current value to a desired value comprising control means to control the parameter; and input means to which the control means is responsive; wherein the input means is arranged to input directional commands whereby the control means varies sets the parameter in response to a first directional command at a first speed value in a first direction and then in response to a second directional command varies the parameter and a different speed in the first or in the opposite in a second direction by a second value that is less than the first value.

Claim 10 (currently amended): <u>The</u> apparatus Apparatus according to Claim 9, in which the input means is a voice recognition device.

Claim 11 (new): The apparatus of claim 10 wherein the second direction is opposite the first direction.

Claim 12 (new): The apparatus of claim 10 wherein the second direction is the same as the first direction.

Claim 13 (new): The apparatus of claim 9 further comprising a third directional command in a third direction having a third value that is less than the second value.

Claim 14 (new): The apparatus of claim 13 wherein the third direction is the same as the second direction.

Claim 15 (new): The apparatus of claim 13 wherein the third direction is opposite the second direction.

Claim 16 (new): The apparatus of claim 13 in which the input means is a voice recognition device.

Claim 17 (new): The apparatus of claim 15 further comprising a stop command wherein the parameter ceases directional movement in the item being measured.